AN INITIATIVE OF Making More From Sheep







Healthy and contented sheep

Tamworth NSW

Gareth Kelly Sheep CRC




















Annual cost of parasites







MLA (2006)






- Higher prices for sheep and lambs
- Highlights the importance of good worm control



Effect of worms on mortality








Effect of worms on liveweight









Summer rainfall program






1. Prevention

- Host immunity Low WEC ASBV
- Grazing management
 - Reduce drench frequency
 - Limit weight loss in ewes 1.4kg
 - Increase lamb growth rate 20 g/d

Grazing management








Grazing management

Rest periods from grazing allows for greater death of larvae



Grazing management






- Planned grazing
 - allows for short graze and longer rest periods
- Alternate grazing with cattle
 - allows for longer rest period and removal of infective larvae
- Grazing to prepare lambing paddocks

Prevention Prepare lambing paddocks










Prevention Prepare lambing paddocks










Prevention

Making More From Sheep

Prepare lambing paddocks





Summer rainfall program






- 1. Prevention
- 2. Detection
 - Monitor worm egg counts

Detection Monitor worm egg counts



Critical times
Dipstick test



Summer rainfall program





- 1. Prevention
- 2. Detection
- 3. Response
 - Drench Decision Aid
 - Treatment threshold
 - Effective drenches

Response Worm egg counts to treat



Barber's Pole worm greater 60% of culture	Pasture quality / quantity				
Animal condition	Poor	OK	Good		
Poor	600	800	1000		
ОК	800	1000	1100		
Good	1000	1100	1200		

Response Worm egg counts to treat



Scour worms	Pasture quality / quantity			
Animal condition	Poor	ОК	Good	
Poor	300	400	500	
ОК	400	500	600	
Good	500	600	700	

Managing drenches



Are you using effective drenches?





95% Reduction in Barber's Pole worm egg count

	Farms						
Drench name	Α	В	С	D	E	F	
Benzimidazole (BZ)	*	*	*	×	*	*	
Levamisole	*	✓	✓	×	×	*	
Combi (BZ + levamisole)	✓	✓	✓	✓	✓	✓	
Seponver/Closantel	✓	*	/	*	✓	*	
Rametin + BZ	✓	✓	✓	✓	✓	✓	
Ivomec	*	*	*	*	*	*	
Cydectin	✓	✓	/	*	/	*	
Cydectin LA	✓	V	V	×	V	✓	

Manage drenches






- Use effective drench
- Rotate class within flock
- Rotate class within paddock
- Don't import resistance
 - 4 classes
- Wormboss

Cost of worms








Flystrike management










Flystrike management





- Develop management calendar
- Improve genetics Breech wrinkle ASBV



Source: Wool.com.au




- Prevention
 - Biosecurity boundary fences & quarantine
- Treat effectively
 - All sheep
 - Effective chemicals (e.g. Avenge, Extinosad)

Lice prevalence







Biosecurity



- Avoid
 - Cost effective
- Assess the risk
 - Know status of incoming sheep
- On arrival
 - Treatments
- Quarantine
 - 3 months in risk period

Tool 11.15

Quarantine periods for important sheep diseases

Take home messages







- Worms
 - Prevent Detect Respond
- Flystrike
 - Management plan
- Lice
 - Treat effectively
- Biosecurity
 - Know status
 - Quarantine